


IN THE CLAIMS

**COMPLETE LISTING OF ALL CLAIMS, WITH MARKINGS AND STATUS IDENTIFIERS**  
(Currently amended claims showing deletions by ~~striketrough~~ and additions by underlining)

This listing of claims will replace all prior versions and listings of the claims in the application.

Listing of Claims:

1. (original) A pharmaceutical composition comprising a farnesyl transferase inhibitor, a prodrug thereof or a pharmaceutically acceptable salt of said farnesyl transferase inhibitor or of said farnesyl transferase inhibitor prodrug, and an anthracycline, a prodrug thereof or a pharmaceutically acceptable salt of said anthracycline or of said anthracycline prodrug.
2. (original) A pharmaceutical composition according to claim 1, wherein said farnesyl transferase inhibitor is according to formula I:



wherein

$n_1$  is 0 or 1;


X is, independently for each occurrence,  $(\text{CHR}^{11})_{n3}(\text{CH}_2)_{n4}\text{Z}(\text{CH}_2)_{n5}$ ;

Z is O,  $\text{N}(\text{R}^{12})$ , S, or a bond;

$n_3$  is, independently for each occurrence, 0 or 1;

$n_4$  and  $n_5$  each is, independently for each occurrence, 0, 1, 2, or 3;

Y is, independently for each occurrence, CO,  $\text{CH}_2$ , CS, or a bond;



R<sup>2</sup>, R<sup>11</sup>, and R<sup>12</sup> each is, independently for each occurrence, H or an optionally substituted moiety selected from the group consisting of (C<sub>1-6</sub>)alkyl and aryl, wherein said optionally substituted moiety is optionally substituted with one or more of R<sup>8</sup> or R<sup>30</sup>;

R<sup>3</sup> is, independently for each occurrence, H or an optionally substituted moiety selected from the group consisting of (C<sub>1-6</sub>)alkyl, (C<sub>2-6</sub>)alkenyl, (C<sub>2-6</sub>)alkynyl, (C<sub>3-6</sub>)cycloalkyl, (C<sub>3-6</sub>)cycloalkyl(C<sub>1-6</sub>)alkyl, (C<sub>5-7</sub>)cycloalkenyl, (C<sub>5-7</sub>)cycloalkenyl(C<sub>1-6</sub>)alkyl, aryl, aryl(C<sub>1-6</sub>)alkyl, heterocyclyl, and heterocyclyl(C<sub>1-6</sub>)alkyl, wherein said optionally substituted moiety is optionally substituted with one or more R<sup>30</sup>;

R<sup>4</sup> and R<sup>5</sup> each is, independently for each occurrence, H or an optionally substituted moiety selected from the group consisting of (C<sub>1-6</sub>)alkyl, (C<sub>3-6</sub>)cycloalkyl, aryl, and heterocyclyl, wherein said optionally substituted moiety is optionally substituted with one or more R<sup>30</sup>, wherein each said substituent is independently selected, or R<sup>4</sup> and R<sup>5</sup> can be taken together with the carbons to which they are attached to form aryl;

R<sup>6</sup> is, independently for each occurrence, H or an optionally substituted moiety selected from the group consisting of (C<sub>1-6</sub>)alkyl, (C<sub>2-6</sub>)alkenyl, (C<sub>3-6</sub>)cycloalkyl, (C<sub>3-6</sub>)cycloalkyl(C<sub>1-6</sub>)alkyl, (C<sub>5-7</sub>)cycloalkenyl, (C<sub>5-7</sub>)cycloalkenyl(C<sub>1-6</sub>)alkyl, aryl, aryl(C<sub>1-6</sub>)alkyl, heterocyclyl, and heterocyclyl(C<sub>1-6</sub>)alkyl, wherein said optionally substituted moiety is optionally substituted with one or more substituents each independently selected from the group consisting of OH, (C<sub>1-6</sub>)alkyl, (C<sub>1-6</sub>)alkoxy, -N(R<sup>8</sup>R<sup>9</sup>), -COOH, -CON(R<sup>8</sup>R<sup>9</sup>), and halo, where R<sup>8</sup> and R<sup>9</sup> each is, independently for each occurrence, H, (C<sub>1-6</sub>)alkyl, (C<sub>2-6</sub>)alkenyl, (C<sub>2-6</sub>)alkynyl, aryl, or aryl(C<sub>1-6</sub>)alkyl;

R<sup>7</sup> is, independently for each occurrence, H, =O, =S, or an optionally substituted moiety selected from the group consisting of (C<sub>1-6</sub>)alkyl, (C<sub>2-6</sub>)alkenyl, (C<sub>3-6</sub>)cycloalkyl, (C<sub>3-6</sub>)cycloalkyl(C<sub>1-6</sub>)alkyl, (C<sub>5-7</sub>)cycloalkenyl, (C<sub>5-7</sub>)cycloalkenyl(C<sub>1-6</sub>)alkyl, aryl, aryl(C<sub>1-6</sub>)alkyl, heterocyclyl, and heterocyclyl(C<sub>1-6</sub>)alkyl, wherein said optionally substituted moiety is optionally


substituted with one or more substituents each independently selected from the group consisting of OH, (C<sub>1-6</sub>)alkyl, (C<sub>1-6</sub>)alkoxy, -N(R<sup>8</sup>R<sup>9</sup>), -COOH, -CON(R<sup>8</sup>R<sup>9</sup>), and halo;

R<sup>10</sup> is C;

or when n1 = 0, R<sup>6</sup> and R<sup>7</sup> can be taken together with the carbon atoms to which they are attached to form aryl or cyclohexyl;

R<sup>21</sup> is, independently for each occurrence, H or an optionally substituted moiety selected from the group consisting of (C<sub>1-6</sub>)alkyl and aryl(C<sub>1-6</sub>)alkyl, wherein said optionally substituted moiety is optionally substituted with one or more substituents each independently selected from the group consisting of R<sup>8</sup> and R<sup>30</sup>;

R<sup>22</sup> is H, (C<sub>1-6</sub>)alkylthio, (C<sub>3-6</sub>)cycloalkylthio, R<sup>8</sup>-CO-, or a substituent according to the formula




R<sup>24</sup> and R<sup>25</sup> each is, independently for each occurrence, H, (C<sub>1-6</sub>)alkyl, or aryl(C<sub>1-6</sub>)alkyl;

R<sup>30</sup> is, independently for each occurrence, (C<sub>1-6</sub>)alkyl, -O-R<sup>8</sup>, -S(O)<sub>n6</sub>R<sup>8</sup>, -S(O)<sub>n7</sub>N(R<sup>8</sup>R<sup>9</sup>), -N(R<sup>8</sup>R<sup>9</sup>), -CN, -NO<sub>2</sub>, -CO<sub>2</sub>R<sup>8</sup>, -CON(R<sup>8</sup>R<sup>9</sup>), -NCO-R<sup>8</sup>, or halogen;


n6 and n7 each is, independently for each occurrence, 0, 1, or 2;

wherein said heterocyclyl is azepinyl, benzimidazolyl, benzisoxazolyl, benzofurazanyl, benzopyranyl, benzothiopyranyl, benzofuryl, benzothiazolyl, benzothienyl, benzoxazolyl, chromanyl, cinnoliny, dihydrobenzofuryl, dihydrobenzothienyl, dihydrobenzothiopyranyl, dihydrobenzothio-pyranyl sulfone, furyl, imidazolidinyl, imidazoliny, imidazolyl, indoliny, indolyl, isochromanyl, isoindoliny, isoquinoliny, isothiazolidinyl, isothiazolyl, isothiazolidinyl, morpholiny, naphthyridiny, oxadiazolyl, 2-oxoazepiny, 2-oxopiperazinyl, 2-oxopiperidinyl, 2-oxopyrrolidinyl, piperidyl, piperazinyl, pyridyl, pyridyl N-oxide, quinoxaliny, tetrahydrofuryl, tetrahydroisoquinoliny, tetrahydro-quinoliny, thiamorpholiny, thiamorpholiny sulfoxide, thiazolyl, thiazoliny, thienofuryl, thienothienyl, or thienyl; and  
wherein said aryl is phenyl or naphthyl;  
provided that:

when  $n1 = 1$ ,  $R^{10}$  is C and  $R^6$  is H, then  $R^{10}$  and  $R^7$  can be taken together to form




when  $n1 = 1$ ,  $R^{10}$  is C, and  $R^7$  is =O, -H, or =S, then  $R^{10}$  and  $R^6$  can be taken together to form



wherein  $X^1$ ,  $X^2$ , and  $X^3$  each is, independently, H, halogen,  $-\text{NO}_2$ ,  $-\text{NCO}-R^8$ ,  $-\text{CO}_2R^8$ ,  $-\text{CN}$ , or  $-\text{CON}(R^8R^9)$ ; and


when  $R^1$  is  $\text{N}(R^{24}R^{25})$ , then  $n3$  is 1,  $n4$  and  $n5$  each is 0, Z is a bond, and  $R^3$  and  $R^{11}$  can be taken



together to form  $(R^{11})$  and  $(R^3)$ , wherein  $n2$  is 1-6, and  $X^4$  and  $X^5$  each is, independently, H,  $(\text{C}_{1-6})$ alkyl, or aryl, or  $X^4$  and  $X^5$  can be taken together to form  $(\text{C}_{3-6})$ cycloalkyl;

or a pharmaceutically acceptable salt thereof.


3. (original) A pharmaceutical composition according to claim 2, wherein:



$R^1$  is  $\text{CH}(R^{11})_{n3}(\text{CH}_2)_{n4}$  or Z, wherein when X is Z, Z is O, S, or  $\text{N}(R^{12})$ ;

or a pharmaceutically acceptable salt thereof.

4. (original) A pharmaceutical composition according to claim 3, wherein:




X is CH(R<sup>11</sup>)<sub>n3</sub>(CH<sub>2</sub>)<sub>n4</sub>; and

n<sub>1</sub> is 0;

or a pharmaceutically acceptable salt thereof.

5. (original) A pharmaceutical composition according to claim 3, wherein:



n<sub>3</sub>, n<sub>4</sub>, and n<sub>5</sub> each is 0;


Z is a bond;

Y is, independently for each occurrence, CO or CS; and

n<sub>1</sub> is 0;

or a pharmaceutically acceptable salt thereof.

6. (original) A pharmaceutical composition according to claim 3, wherein:




R<sup>6</sup> is H;

n<sub>1</sub> is 1;

R<sup>7</sup> and R<sup>10</sup> are taken together to form

n<sub>3</sub> is 1 and R<sup>11</sup> is H;



Z is O or a bond;

n5 is 0; and

Y is CO, CH<sub>2</sub>, or a bond;

or a pharmaceutically acceptable salt thereof.

7. (original) A pharmaceutical composition according to claim 3, wherein:

R<sup>1</sup> is N(R<sup>24</sup>R<sup>25</sup>);

n1 is 0;


n3 is 1;

n4 is 0;

n5 is 0;


Y is CO or CS;

Z is a bond; and



R<sup>3</sup> and R<sup>11</sup> are taken together to form ,  
or a pharmaceutically acceptable salt thereof.


8. (original) A pharmaceutical composition according to claim 3, wherein said farnesyl transferase inhibitor is a compound of formula I, wherein:



R<sup>1</sup> is ;

R<sup>7</sup> is H or =O;

n1 is 1;



R<sup>6</sup> and R<sup>10</sup> are taken together to form ;

n3 is 1 and R<sup>11</sup> is H;

n5 is 0;

Y is CO or CH<sub>2</sub>; and

Z is O or a bond;

or a pharmaceutically acceptable salt thereof.

9. (original) A pharmaceutical composition according to claim 2, wherein said farnesyl transferase inhibitor is:

8-butyl-7-(3-(imidazol-5-yl)-1-oxopropyl)-2-(2-methoxyphenyl)-5,6,7,8-tetrahydroimidazo[1,2a]pyrazine;

8-butyl-2-(2-hydroxyphenyl)-7-(imidazol-4-yl-propyl)-5,6,7,8-tetrahydroimidazo[1,2a]pyrazine;

8-butyl-7-(4-imidazolylpropyl)-2-(2-methoxyphenyl)-5,6,7,8-tetrahydroimidazo[1,2a]pyrazine;

7-(2-(imidazol-4-yl)-1-oxo-ethyl)-2-(2-methoxyphenyl)-8-(1-methylpropyl)-5,6,7,8-tetrahydroimidazo[1,2a]pyrazine;

2-(2-methoxyphenyl)-8-(1-methylpropyl)-7-(1-oxo-2-(1-(phenylmethyl)-imidazol-5-yl)ethyl)-5,6,7,8-tetrahydroimidazo[1,2a]pyrazine;

2-(2-methoxyphenyl)-8-(1-methylpropyl)-7-(2-(1-phenylmethyl)-imidazol-5-yl)ethyl)-5,6,7,8-tetrahydroimidazo[1,2a]pyrazine;

7-(2-(1-(4-cyanophenylmethyl)-imidazol-5-yl)-1-oxo-ethyl)-2-(2-methoxyphenyl)-8-(1-methylpropyl)-5,6,7,8-tetrahydroimidazo[1,2a]pyrazine;

7-((1H-imidazol-4-yl)methyl)-2-(2-methoxyphenyl)-8-(1-methylpropyl)-5,6,7,8-tetrahydroimidazo[1,2a]pyrazine;

7-((4-imidazolyl)carbonyl)-2-(2-methoxyphenyl)-8-(1-methylpropyl)-5,6,7,8-tetrahydroimidazo[1,2a]pyrazine;

7-(1-(4-cyanophenylmethyl)-imidazol-5-yl)methyl-2-(2-methoxyphenyl)-8-(1-methylpropyl)-5,6,7,8-tetrahydroimidazo[1,2a]pyrazine;

7-(2-(4-cyanophenylmethyl)-imidazol-5-yl)-1-oxo-ethyl)-2-(2-methoxyphenyl)-5,6,7,8-tetrahydroimidazo[1,2-a]pyrazine;

5-butyl-7-(2-(4-cyanophenylmethylimidazol-5-yl)-1-oxo-ethyl)-2-phenyl-5,6,7,8-tetrahydroimidazo[1,2a]pyrazine;

6-butyl-7-(2-(4-cyanophenylmethylimidazol-5-yl)-1-oxo-ethyl)-2-(2-methoxyphenyl)-5,6,7,8-tetrahydroimidazo[1,2-a]pyrazine;

6-butyl-7-(2-(4-cyanophenylmethylimidazol-5-yl)-1-oxo-ethyl)-2-phenyl-5,6,7,8-tetrahydroimidazo[1,2-a]pyrazine;

5-butyl-7-(2-(1-(4-cyanophenylmethyl)-imidazole-5-yl)-1-oxo-ethyl)-2-(2-methoxyphenyl)-5,6,7,8-tetrahydroimidazo[1,2a]pyrazine;

7-(2-(1-(4-cyanophenylmethyl)-imidazole-5-yl)-1-oxo-ethyl)-8-(cyclohexylmethyl)-2-(2-methoxyphenyl)-5,6,7,8-tetrahydroimidazo[1,2a]pyrazine;

5-butyl-7-(2-(1H-imidazole-5-yl)-1-oxo-ethyl)-2-(2-methoxyphenyl)-5,6,7,8-tetrahydroimidazo[1,2a]pyrazine;

7-(2-(4-cyanophenylmethyl)-imidazol-5-yl)-1-oxo-ethyl)-2-(2-(phenylmethoxy)-phenyl)-5,6,7,8-tetrahydroimidazo[1,2-a]pyrazine; or

2-(2-butoxyphenyl)-7-(2-(4-cyanophenylmethyl)-imidazol-5-yl)-1-oxo-ethyl)-5,6,7,8-tetrahydroimidazo[1,2-a]pyrazine;

or a pharmaceutically acceptable salt thereof.

10. (original) A pharmaceutical composition according to claim 2, wherein said farnesyl transferase inhibitor is:

1,2-dihydro-1-((1H-imidazol-4-yl)methyl)-4-(2-methoxyphenyl)-imidazo[1,2-c][1,4]benzodiazepine;

1-(2-(1-(4-cyanophenylmethyl)imidazol-4-yl)-1-oxoethyl)-1,2-dihydro-4-(2-methoxyphenyl)-imidazo[1,2-c][1,4]benzodiazepine ;

9-bromo-1-(2-(1-(4-cyanophenylmethyl)imidazol-4-yl)-1-oxoethyl)-1,2-dihydro-4-(2-methoxyphenyl)-imidazo[1,2-c][1,4]benzodiazepine;

9-Chloro-1-(2-(1-(4-cyanophenylmethyl)imidazol-4-yl)-1-oxoethyl)-1,2-dihydro-4-(2-methoxyphenyl)-imidazo[1,2-c][1,4]benzodiazepine;

10-Bromo-1-(2-(1-(4-cyanophenylmethyl)imidazol-4-yl)-1-oxoethyl)-1,2-dihydro-4-(2-methoxyphenyl)-imidazo[1,2-c][1,4]benzodiazepine;

1-(2-(1-(4-cyanophenylmethyl)imidazol-4-yl)-1-oxoethyl)-1,2-dihydro-8-fluoro-4-(2-methoxyphenyl)-imidazo[1,2-c][1,4]benzodiazepine; or

or a pharmaceutically acceptable salt thereof.

11. (currently amended) A ~~combination~~ pharmaceutical composition according to claim 10, wherein said farnesyl transferase inhibitor is:

1-(2-(1-(4-cyanophenylmethyl)imidazol-4-yl)-1-oxoethyl)-1,2-dihydro-4-(2-methoxyphenyl)-imidazo[1,2-c][1,4]benzodiazepine ;



9-bromo-1-(2-(1-(4-cyanophenylmethyl)imidazol-4-yl)-1-oxoethyl)-1,2-dihydro-4-(2-methoxyphenyl)-imidazo[1,2-c][1,4]benzodiazepine;

9-Chloro-1-(2-(1-(4-cyanophenylmethyl)imidazol-4-yl)-1-oxoethyl)-1,2-dihydro-4-(2-methoxyphenyl)-imidazo[1,2-c][1,4]benzodiazepine;

10-Bromo-1-(2-(1-(4-cyanophenylmethyl)imidazol-4-yl)-1-oxoethyl)-1,2-dihydro-4-(2-methoxyphenyl)-imidazo[1,2-c][1,4]benzodiazepine;

1-(2-(1-(4-cyanophenylmethyl)imidazol-4-yl)-1-oxoethyl)-1,2-dihydro-8-fluoro-4-(2-methoxyphenyl)-imidazo[1,2-c][1,4]benzodiazepine[;:].

12. (currently amended) A ~~combination~~ pharmaceutical composition according to claim 2, wherein said farnesyl transferase inhibitor is:

7-(2-amino-1-oxo-3-thiopropyl)-8-(mercaptoethyl)-2-(2-methoxyphenyl)-5,6,7,8-tetrahydroimidazo[1,2a]pyrazine disulfide;  
or a pharmaceutically acceptable salt thereof.

13. (currently amended) A ~~combination~~ pharmaceutical composition according to claim 2, wherein said farnesyl transferase inhibitor is:

5-(2-(1-(4-cyanophenylmethyl)-imidazol-5-yl)-1-oxo-ethyl)-5,6-dihydro-2-phenyl-1H-imidazo[1,2-a][1,4]benzodiazepine;  
or a pharmaceutically acceptable salt thereof.

14. (currently amended) A ~~combination~~ pharmaceutical composition according to claim 2, wherein said farnesyl transferase inhibitor is:






1,2-dihydro-1-(2-(imidazol-1-yl)-1-oxoethyl)-4-(2-methoxyphenyl)imidazo[1,2a][1,4]benzodiazepine;







1,2-dihydro-4-(2-methoxyphenyl)-1-(2-(pyridin-3-yl)-1-oxoethyl)imidazo[1,2a][1,4]benzodiazepine; or







1,2-dihydro-4-(2-methoxyphenyl)-1-(2-(pyridin-4-yl)-1-oxoethyl)imidazo[1,2a][1,4]benzodiazepine;







or a pharmaceutically acceptable salt thereof.







15. (original) A pharmaceutical composition according to claim 2, wherein said farnesyl transferase inhibitor is:
























or a pharmaceutically acceptable salt thereof.

16. (original) A pharmaceutical composition according to claim 2, wherein said farnesyl transferase inhibitor is:










or a pharmaceutically acceptable salt thereof.

17. (original) A pharmaceutical composition according to claim 16, wherein said farnesyl transferase inhibitor is:



or a pharmaceutically acceptable salt thereof.

18. (original) A pharmaceutical composition according to claim 17, wherein said anthracyclin is doxorubicin, daunorubicin, epirubicin, idarubicin, or amrubicin, or a pharmaceutically acceptable salt thereof.

19. (original) A pharmaceutical composition according to claim 17, wherein said anthracyclin is doxorubicin, or a pharmaceutically acceptable salt thereof.

20. (currently amended) A pharmaceutical composition according to ~~any one of claims 1—17~~ claim 1, wherein said anthracyclin is doxorubicin, daunorubicin, epirubicin, idarubicin, or amrubicin, or a prodrug thereof, or a pharmaceutically acceptable salt of said anthracyclin or of said anthracyclin prodrug.

21. (original) A pharmaceutical composition according to claim 20, wherein said anthracyclin is doxorubicin, or a pharmaceutically acceptable salt thereof.

22. (currently amended) A method of decreasing the rate of proliferation of nasopharyngeal carcinoma cells, said method comprising contacting said nasopharyngeal cells with a pharmaceutical composition according to any one of claims 18 - 21 ~~claim 18~~.

23-25. (cancelled)

26. (currently amended) A method of treating nasopharyngeal carcinoma in a patient, said method comprising administering to said patient a pharmaceutical composition according to any one of claims 18 - 21 ~~claim 18~~.

27-29. (cancelled)

30. (original) A method of treating nasopharyngeal carcinoma in a patient, said method comprising administering to said patient an effective amount of one or more farnesyl transferase inhibiting compound in combination with an effective amount of one or more anthracycline compound, wherein said effective amount of said farnesyl transferase inhibiting compound or compounds and of said anthracycline compound or compounds are effective in combination to treat said nasopharyngeal carcinoma.

31. (original) A method according to claim 30 wherein said patient is a mammal.

32. (original) A method according to claim 31 wherein said patient is a human being.

33. (original) A method according to claim 32 wherein said farnesyl transferase inhibiting compound and said anthracycline compound are administered substantially simultaneously.

34. (original) A pharmaceutical kit comprising a composition according to claim 18 and instructions for use of said composition for the treatment of nasopharyngeal carcinoma.

35-37. (cancelled)

38. (original) A kit comprising: a) a first unit dosage form comprising a farnesyl transferase inhibitor, a prodrug thereof or a pharmaceutically acceptable salt of said farnesyl transferase inhibitor or of said farnesyl transferase inhibitor prodrug and a pharmaceutically acceptable carrier, vehicle or

diluent; b) a second unit dosage form comprising an anthracycline, a prodrug thereof or a pharmaceutically acceptable salt of said anthracycline or of said anthracycline prodrug and a pharmaceutically acceptable carrier, vehicle or diluent; and c) a container.

39-40. (cancelled)